

PharmLabs San Diego Certificate of Analysis



Sample Disco Twice The Trip Mushroom Gummies - Strawberry/Blueberry

Delta9 THC ND THCa ND Total THC (THCa * 0.877 + THC) ND Delta8 THC ND

Table with sample ID, tested for, received date, and analysis details.

CANx - Cannabinoids

Analyzed May 29, 2026 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Main table listing various cannabinoids and their results (LOD, LOQ, Result %, Result mg/g, Result mg/Serving, Result mg/Unit).

KTM - Kratom

Analyzed May 28, 2026 | Instrument HPLC VWD | Method SOP-TKM
The expanded Uncertainty of the Kratom analysis is approximately ±7.81% at the 95% Confidence Level

Table listing Kratom analytes and their results (LOD ppm, LOQ ppm, Result %, Result mg/g, Result mg/Serving, Result mg/Unit).

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Mon, 01 Jun 2026 10:51:04 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product.

4AD - 4AD Tryptamines

Analyzed May 28, 2026 | Instrument HPLC VWD | Method SOP-4AD

The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Mescaline (MESC)	0.19	0.584	ND	ND	ND	ND
N-methyl Tryptamine (NMT)	0.004	0.013	ND	ND	ND	ND
4-Hydroxy-MET (4-HO-MET)	0.013	0.04	ND	ND	ND	ND
n,n Dimethyltryptamine (DMT)	0.015	0.048	ND	ND	ND	ND
Psilacetin (PSLA)	0.015	0.044	ND	ND	ND	ND
4-Hydroxy-DET (4-HO-DET)	0.014	0.042	ND	ND	ND	ND
4-Acetoxy-MET (4-AcO-MET)	0.018	0.053	ND	ND	ND	ND
4-Acetoxy-DET (4-AcO-DET)	0.004	0.011	ND	ND	ND	ND
4-Bromo-DMP (2C-B)	0.19	0.576	ND	ND	ND	ND

TRY - Tryptamine

Analyzed May 28, 2026 | Instrument HPLC VWD | Method SOP-TRY

The expanded Uncertainty of the Tryptamine analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Norbaeocystin (NORB)	0.01	0.029	ND	ND	ND	ND
Baeocystin (BAEO)	0.01	0.029	ND	ND	ND	ND
Aeruginascin (AERU)	0.007	0.022	ND	ND	ND	ND
Norpsilocin (NORP)	0.003	0.009	ND	ND	ND	ND

PSY - Psilocybin & Psilocin

Analyzed May 28, 2026 | Instrument HPLC VWD | Method SOP-PSY

The expanded Uncertainty of the Psilocybin & Psilocin analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Psilocybin (PSCY)	0.007	0.019	ND	ND	ND	ND
Psilocin (PSCI)	0.003	0.009	ND	ND	ND	ND

BLU - Blue Lotus

Analyzed Jun 01, 2026 | Instrument HPLC VWD | Method SOP-040 Blue Lotus

The expanded Uncertainty of the Blue Lotus analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
(-)-Apomorphine (APOM)	0.018	0.055	ND	ND	ND	ND
Nuciferine (NUCI)	0.029	0.088	ND	ND	ND	ND

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Mon, 01 Jun 2026 10:51:04 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.